



City of Kawartha Lakes
NOTICE OF STUDY COMPLETION

Logie St. and Ridout St. Sewage Pumping Station Upgrades – Class Environmental Assessment

The City of Kawartha Lakes (City) has completed a Municipal Class Environmental Assessment (EA) study to determine the preferred solution to expand the wastewater collection system for the community of Lindsay. The City intends to complete upgrades to the Logie Street and Ridout Street sewage pumping stations and install a new forcemain to address the capacity needs of the existing wastewater system.

This study was carried out in accordance with the requirements for a Schedule “B” Municipal Class Environmental Assessment. The planning and decision-making process which includes consultation with public, first nations, and review agencies, assessment of environmental impacts of alternative solutions, and identification of the preferred solution has been completed. The project report is available for viewing on-line on the Municipality website.

The 30-day public review period will commence on **September 23, 2025**. For more information or to provide comments please email one of the following project contacts by October 23, 2025:

Marten Leclerc
Senior Engineering Tech
City of Kawartha Lakes
26 Francis Street
Lindsay, ON K9V 5R8
T: 705-324-9411 x 1131
Email: mleclerc@kawarthalakes.ca

Tony Guerrero, P. Eng
Greer Galloway, a division of Jp2g Consultants Inc.
1620 Wallbridge Loyalist Road,
Belleville, ON K8N 4Z5
T: (613) 966-3068
F: (613) 966-3087
Email: tony.guerrera@jp2g.com

The public has the ability to request a higher level of assessment on a project if they are concerned about potential adverse impacts to constitutionally protected Aboriginal and treaty rights. Additionally, the minister may issue an order on his or her own initiative within a specified time period. The director (of the Environmental Assessment Branch) will issue a Notice of Proposed Order to the proponent if the minister is considering an order for the project within 30 days after the conclusion of the comment period provided in the Notice of Completion. Further, the proponent may not proceed after this time if:

- a Section 16 Order request has been submitted to the ministry regarding potential adverse impacts to constitutionally protected Aboriginal and treaty rights, or
- the Director has issued a Notice of Proposed Order regarding the project.

Members of the public must ensure that concerns are directed to the proponent for a response, and that in the event there are outstanding concerns regarding potential adverse impacts to constitutionally protected Aboriginal and treaty rights, Section 16 Order requests on those matters should be addressed in writing to:

**Minister, Ministry of the Environment,
Conservation and Parks**
777 Bay Street, 5th Floor,
Toronto ON, M7A 2J3
Minister.mecp@ontario.ca

AND

**Director, Environmental Assessment Branch
Ministry of Environment, Conservation and Parks**
135 St. Clair Ave. W, 1st Floor,
Toronto ON, M4V 1P5
EABDirector@ontario.ca

For more information on requests for orders under Section 16 of the Environmental Assessment Act visit:
<https://www.ontario.ca/page/class-environmental-assessments-section-16-order>.

This notice issued September 23, 2025.

Under the *Freedom of Information and Protection of Privacy Act* and the *Environmental Assessment Act*, unless otherwise stated in the submission, any personal information such as name, address, telephone number and property location included in a submission will become part of the public records files for this project and will be released, if requested, to any person.